

|>

## SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

# SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1. Product identifier

Product name : CHRYSO®Quad 522 Product code : Z0303.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Concrete and mortar admixture.

## 1.3. Details of the supplier of the safety data sheet

Registered company name : CHRYSO SAS.

Address : 7 rue de l'Europe.45300.SERMAISES DU LOIRET .France.

Telephone : 02 38 34 58 00. Fax : 02 38 39 01 72.

fds.chryso@chryso.com

www.chryso.com

# 1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

# |>SECTION 2 : HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

## |> In compliance with EC regulation No. 1272/2008 and its amendments.

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

### 2.2. Label elements

### |> In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07		
Signal Word :		
WARNING		
Product identifiers :		
EC 203-856-5	GLUTARAL	
613-112-00-5	2-OCTYL-2H	-ISOTHIAZOL-3-ONE
Hazard statements :		
H317		May cause an allergic skin reaction.
H412		Harmful to aquatic life with long lasting effects.
Precautionary statement	s - Prevention	:
P261		Avoid breathing vapours/spray.
P272		Contaminated work clothing should not be allowed out of the workplace.
P273		Avoid release to the environment.
Precautionary statement	s - Response :	
P333 + P313		If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364		Take off contaminated clothing and wash it before reuse.
Precautionary statement	s - Disposal :	
P501		Dispose of contents/container to a collect point for special or hazardous waste.

### > 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

## |>SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

> Composition :

Identification	(EC) 1272/2008	Note	%
CAS: 111-30-8	GHS06, GHS05, GHS09, GHS08	[1]	$0 \le x \% \le 0.1$
EC: 203-856-5	Dgr		
	Acute Tox. 3, H301		
GLUTARAL	Skin Corr. 1B, H314		
	Skin Sens. 1A, H317		
	Acute Tox. 2, H330		
	Resp. Sens. 1, H334		
	STOT SE 3, H335		
	Aquatic Acute 1, H400		
	MAcute = 1		
	Aquatic Chronic 1, H410		
	M Chronic $= 1$		
INDEX: 613-112-00-5	GHS06, GHS05, GHS09	[1]	0.0015 <= x % <
CAS: 26530-20-1	Dgr		0.1
EC: 247-761-7	Acute Tox. 2, H330		
	Acute Tox. 3, H311		
2-OCTYL-2H-ISOTHIAZOL-3-ONE	Acute Tox. 3, H301		
	Skin Corr. 1, H314		
	Eye Dam. 1, H318		
	Skin Sens. 1A, H317		
	Aquatic Acute 1, H400		
	M Acute = 100		
	Aquatic Chronic 1, H410		
	M Chronic $= 100$		
	EUH:071		

#### > Specific concentration limits:

Identification	Specific concentration limits	ATE
CAS: 111-30-8	Skin Corr. 1B: H314 C>= 10%	
EC: 203-856-5	Skin Irrit. 2: H315 0.5% <= C < 10%	
	Eye Dam. 1: H318 C>= 2%	
GLUTARAL	Eye Irrit. 2: H319 0.5% <= C < 2%	
	STOT SE 3: H335 C>= 0.5%	
INDEX: 613-112-00-5	Skin Sens. 1A: H317 C>= 0.0015%	inhalation: $ATE = 0.27 \text{ mg/l } 4h$
CAS: 26530-20-1		
EC: 247-761-7		dermal: $ATE = 311 \text{ mg/kg BW}$
		oral: ATE = $125 \text{ mg/kg BW}$
2-OCTYL-2H-ISOTHIAZOL-3-ONE		

### Information on ingredients :

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

# |>SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

#### 4.1. description of first aid measures

### > In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner. Watch out for any remaining product between skin and clothing, watches, shoes, etc. In the event of an allergic reaction, seek medical attention.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

#### > In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor. Seek medical attention immediately, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## **SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

No data available.

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

## |>SECTION 6 : ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

## |> For non first aid worker

Avoid any contact with the skin and eyes.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

# 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

## |>SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

# 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention :

Prevent access by unauthorised personnel.

# Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

No data available.

# |> Packaging

Always keep in packaging made of an identical material to the original.

# 7.3. Specific end use(s)

No data available.

# |>SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

# |> Occupational exposure limits :

CAS	VME :	of Minerals and VME :	Excess	Notes	]	
111-30-8			0.1 ppm		1	
			0.35 mgm/3			
South Africa / D	OL RL (Departm	ent of Labour, F	Recommended	limits, 1995) :		
CAS	TWA:	STEL :	Ceiling :	Definition :	Criteria :	
111-30-8		0.2 ppm				
		0.7 mg/m3				
Germany - AGW	/ (BAuA - TRGS	900, 02/2022) :			-	
CAS	VME :	VME :	Excess	Notes	7	
111-30-8		0.05 ppm		2(I)	-	
		$0.2 \text{ mg/m}^3$				
26530-20-1		0.05 E mg/m <sup>3</sup>		2(I)	1	
Denmark (2020)	•		1			
Stof	TWA	VSTEL	Loftvaerdi	Anm	7	
111-30-8	0.2 ppm			L	1	
	0.2  ppm $0.8 \text{ mg/m}^3$					
France (INRS - 0		1849 2021-176	$\frac{1}{3}$ decree of 00	/12/2021) ·		
CAS	VME-ppm :	VME-mg/m3		VLE-mg/m3 :	Notes ·	TMP No :
111-30-8	0.1	0.4	0.2	0.8	-	65.66
· Finland (HTP-vä	-	10.1	0.2	0.0	1	00.00
		OTEI	la !!!	5 4 11		
				Datinition		
CAS	TWA :	STEL:	Ceiling :	Definition :	Criteria :	
<u>CAS</u> 111-30-8	TWA:	0.1 ppm	Ceiling :	Definition :	Criteria :	_
111-30-8		0.1 ppm 0.42 mg/m <sup>3</sup>				
111-30-8 • Spain (Instituto 1	Nacional de Segu	0.1 ppm 0.42 mg/m <sup>3</sup> aridad e Higiene	en el Trabajo (	(INSHT), 2019)	:	
111-30-8 - Spain (Instituto I CAS		0.1 ppm 0.42 mg/m <sup>3</sup> wridad e Higiene STEL :		(INSHT), 2019) Definition :		
111-30-8 - Spain (Instituto I CAS	Nacional de Segu	0.1 ppm 0.42 mg/m <sup>3</sup> ridad e Higiene STEL : 0.05 ppm	en el Trabajo (	(INSHT), 2019)	:	-
111-30-8 - Spain (Instituto I CAS 111-30-8	Nacional de Segu TWA :	0.1 ppm 0.42 mg/m <sup>3</sup> wridad e Higiene STEL :	en el Trabajo (	(INSHT), 2019) Definition :	:	
111-30-8 - Spain (Instituto I CAS 111-30-8 - Greece (90/1999	Nacional de Segu TWA :	0.1 ppm 0.42 mg/m <sup>3</sup> iridad e Higiene STEL : 0.05 ppm 0.2 mg/m <sup>3</sup>	en el Trabajo ( Ceiling :	(INSHT), 2019) Definition : Sen	: Criteria :	
111-30-8 - Spain (Instituto I CAS 111-30-8 - Greece (90/1999 CAS	Nacional de Segu TWA :	0.1 ppm 0.42 mg/m <sup>3</sup> rridad e Higiene STEL : 0.05 ppm 0.2 mg/m <sup>3</sup> STEL :	en el Trabajo ( Ceiling : Ceiling :	(INSHT), 2019) Definition :	:	
111-30-8 - Spain (Instituto I CAS 111-30-8 - Greece (90/1999	Nacional de Segu TWA :	0.1 ppm 0.42 mg/m <sup>3</sup> ridad e Higiene STEL : 0.05 ppm 0.2 mg/m <sup>3</sup> STEL : 0.2 ppm	en el Trabajo ( Ceiling : Ceiling : 0.2 ppm	(INSHT), 2019) Definition : Sen	: Criteria :	
111-30-8 - Spain (Instituto I CAS 111-30-8 - Greece (90/1999 CAS	Nacional de Segu TWA :	0.1 ppm 0.42 mg/m <sup>3</sup> rridad e Higiene STEL : 0.05 ppm 0.2 mg/m <sup>3</sup> STEL :	en el Trabajo ( Ceiling : Ceiling :	(INSHT), 2019) Definition : Sen	: Criteria :	
111-30-8 • Spain (Instituto I CAS 111-30-8 • Greece (90/1999 CAS 111-30-8 • Norway (Veiledr	Nacional de Segu TWA : )) : TWA : ning om administ	0.1 ppm 0.42 mg/m <sup>3</sup> iridad e Higiene STEL : 0.05 ppm 0.2 mg/m <sup>3</sup> STEL : 0.2 ppm 0.8 mg/m3 rative normer fo	en el Trabajo ( Ceiling : Ceiling : 0.2 ppm 0.8 mgm/3 or forurensning	(INSHT), 2019) Definition : Sen Definition : i arbeidsatmosfa	Criteria : Criteria : Criteria : ere, 2019) :	
111-30-8 • Spain (Instituto I CAS 111-30-8 • Greece (90/1999 CAS 111-30-8 • Norway (Veiledr CAS	Nacional de Segu TWA : ) : TWA : ning om administ TWA :	0.1 ppm 0.42 mg/m <sup>3</sup> iridad e Higiene STEL : 0.05 ppm 0.2 mg/m <sup>3</sup> STEL : 0.2 ppm 0.8 mg/m3	en el Trabajo ( Ceiling : Ceiling : 0.2 ppm 0.8 mgm/3	(INSHT), 2019) Definition : Sen Definition :	Criteria : Criteria :	
111-30-8 • Spain (Instituto I CAS 111-30-8 • Greece (90/1999 CAS 111-30-8 • Norway (Veiledr	Nacional de Segu TWA : )) : TWA : ining om administ TWA : 0.2 ppm	0.1 ppm 0.42 mg/m <sup>3</sup> iridad e Higiene STEL : 0.05 ppm 0.2 mg/m <sup>3</sup> STEL : 0.2 ppm 0.8 mg/m3 rative normer fo	en el Trabajo ( Ceiling : Ceiling : 0.2 ppm 0.8 mgm/3 or forurensning	(INSHT), 2019) Definition : Sen Definition : i arbeidsatmosfa	Criteria : Criteria : Criteria : ere, 2019) :	
111-30-8 • Spain (Instituto I CAS 111-30-8 • Greece (90/1999 CAS 111-30-8 • Norway (Veiledr CAS	Nacional de Segu TWA : ) : TWA : ning om administ TWA :	0.1 ppm 0.42 mg/m <sup>3</sup> iridad e Higiene STEL : 0.05 ppm 0.2 mg/m <sup>3</sup> STEL : 0.2 ppm 0.8 mg/m3 rative normer fo	en el Trabajo ( Ceiling : Ceiling : 0.2 ppm 0.8 mgm/3 or forurensning	(INSHT), 2019) Definition : Sen Definition : i arbeidsatmosfa Definition :	Criteria : Criteria : Criteria : ere, 2019) :	
111-30-8 • Spain (Instituto I CAS 111-30-8 • Greece (90/1999 CAS 111-30-8 • Norway (Veiledr CAS	Nacional de Segu TWA : ) : TWA : ining om administ TWA : 0.2 ppm 0.8 mg/m <sup>3</sup>	0.1 ppm 0.42 mg/m <sup>3</sup> iridad e Higiene STEL : 0.05 ppm 0.2 mg/m <sup>3</sup> STEL : 0.2 ppm 0.8 mg/m3 rative normer for STEL :	en el Trabajo ( Ceiling : 0.2 ppm 0.8 mgm/3 r forurensning Ceiling :	(INSHT), 2019) Definition : Sen Definition : i arbeidsatmosfa Definition :	Criteria : Criteria : Criteria : ere, 2019) :	
111-30-8 • Spain (Instituto I CAS 111-30-8 • Greece (90/1999 CAS 111-30-8 • Norway (Veiledr CAS 111-30-8 111-30-8	Nacional de Segu TWA : ) : TWA : ining om administ TWA : 0.2 ppm 0.8 mg/m <sup>3</sup>	0.1 ppm 0.42 mg/m <sup>3</sup> iridad e Higiene STEL : 0.05 ppm 0.2 mg/m <sup>3</sup> STEL : 0.2 ppm 0.8 mg/m3 rative normer for STEL :	en el Trabajo ( Ceiling : 0.2 ppm 0.8 mgm/3 r forurensning Ceiling :	(INSHT), 2019) Definition : Sen Definition : i arbeidsatmosfa Definition : AT	Criteria : Criteria : Criteria : ere, 2019) :	
111-30-8 • Spain (Instituto I CAS 111-30-8 • Greece (90/1999 CAS 111-30-8 • Norway (Veiledr CAS 111-30-8 • Norway (Veiledr CAS 111-30-8 • Notherlands / MA	Nacional de Segu TWA : TWA : TWA : TWA : Ning om administ TWA : 0.2 ppm 0.8 mg/m <sup>3</sup> AC-waarde (10 d	0.1 ppm 0.42 mg/m <sup>3</sup> iridad e Higiene STEL : 0.05 ppm 0.2 mg/m <sup>3</sup> STEL : 0.2 ppm 0.8 mg/m3 rative normer for STEL : ecember 2014) :	en el Trabajo ( Ceiling : 0.2 ppm 0.8 mgm/3 r forurensning Ceiling :	(INSHT), 2019) Definition : Sen Definition : i arbeidsatmosfa Definition :	Criteria : Criteria : criteria : ere, 2019) : Criteria :	
111-30-8 • Spain (Instituto I CAS 111-30-8 • Greece (90/1999 CAS 111-30-8 • Norway (Veiledr CAS 111-30-8 • Netherlands / MA CAS 111-30-8	Nacional de Segu TWA : TWA : TWA : TWA : Nacional de Segu TWA : D.2 ppm 0.8 mg/m <sup>3</sup> AC-waarde (10 d TWA : -	0.1 ppm 0.42 mg/m <sup>3</sup> iridad e Higiene STEL : 0.05 ppm 0.2 mg/m <sup>3</sup> STEL : 0.2 ppm 0.8 mg/m3 rative normer for STEL : ecember 2014) : STEL : -	en el Trabajo ( Ceiling : 0.2 ppm 0.8 mgm/3 r forurensning Ceiling : 0.25 mg/m3	(INSHT), 2019) Definition : Sen Definition : i arbeidsatmosfa Definition : AT	Criteria : Criteria : criteria : ere, 2019) : Criteria :	
111-30-8 • Spain (Instituto I CAS 111-30-8 • Greece (90/1999 CAS 111-30-8 • Norway (Veiledr CAS 111-30-8 • Netherlands / MA CAS	Nacional de Segu TWA : TWA : TWA : TWA : Nacional de Segu TWA : D.2 ppm 0.8 mg/m <sup>3</sup> AC-waarde (10 d TWA : -	0.1 ppm 0.42 mg/m <sup>3</sup> iridad e Higiene STEL : 0.05 ppm 0.2 mg/m <sup>3</sup> STEL : 0.2 ppm 0.8 mg/m3 rative normer for STEL : ecember 2014) : STEL : -	en el Trabajo ( Ceiling : 0.2 ppm 0.8 mgm/3 r forurensning Ceiling : 0.25 mg/m3	(INSHT), 2019) Definition : Sen Definition : i arbeidsatmosfa Definition : AT	Criteria : Criteria : criteria : ere, 2019) : Criteria :	

- Czech Republic (Regulation No. 361/2007) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
111-30-8	0.2 mg/m <sup>3</sup>	0.4 mg/m <sup>3</sup>		I. S	
- Slovakia (Regulation 300/2007, 471/2011 23/11/2011) :					
CAS	TWA:	STEL :	Ceiling :	Definition :	Criteria :
111-30-8	0.05 ppm	0.05 ppm		S	
	0.2 mg/m <sup>3</sup>	0.2 mg/m <sup>3</sup>			
- Switzerland (Suva	2021):				
CAS	VME	VLE	Valeur plafond	Notations	
111-30-8	0.05 ppm	0.1 ppm			
	0.21 mg/m <sup>3</sup>	0.42 mg/m <sup>3</sup>			
26530-20-1	0.05 ppm	0.1 ppm			
- Sweden (AFS 2018 :1) :					
CAS	TWA:	STEL :	Ceiling :	Definition :	Criteria :
111-30-8		0.1 ppm		S	
		0.4 mg/m <sup>3</sup>			
- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :					
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
111-30-8	0.05 ppm	0.05 ppm		Sen	
	0.2 mg/m <sup>3</sup>	0.2 mg/m <sup>3</sup>			

#### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

## - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

### |> - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

### > - Body protection

Avoid skin contact.

Wear suitable protective clothing.

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

	9.1. Information on basic physical and chemical properties	
	Physical state	
	Physical state :	Fluid liquid.
>	Colour	•
•	Brown	
<١	Odour	
1.	Odour threshold :	Not stated.
	Odour :	Characteristic
l>	Melting point	
15	Melting point/melting range :	Not relevant.
15	Freezing point	
1-	Freezing point / Freezing range :	Not stated.
15	Boiling point or initial boiling point and boiling range	Not stated.
12		Not relevant.
ь.	Boiling point/boiling range :	mot felevalit.
>	Flammability	Not
	Flammability (solid, gas) :	Not stated.
>	Lower and upper explosion limit	
	Explosive properties, lower explosivity limit (%) :	Not stated.
	Explosive properties, upper explosivity limit (%) :	Not stated.
>	Flash point	
	Flash point interval :	Not relevant.
	Auto-ignition temperature	
	Self-ignition temperature :	Not relevant.
	Decomposition temperature	
	Decomposition point/decomposition range :	Not relevant.
>	рН	
	pH (aqueous solution) :	Not stated.
	pH :	5.00 .
		Neutral.
>	Kinematic viscosity	
	Viscosity :	Not stated.
>	Solubility	
	Water solubility :	Soluble.
	Fat solubility :	Not stated.
>	Partition coefficient n-octanol/water (log value)	
	Partition coefficient: n-octanol/water :	Not stated.
	Vapour pressure	
	Vapour pressure (50°C) :	Not relevant.
	Density and/or relative density	
	Density :	> 1
>	Relative vapour density	
•	Vapour density :	Not stated.
	9.2. Other information	
	No data available.	
	9.2.1. Information with regard to physical hazard classes	
	No data available.	
	9.2.2. Other safety characteristics	
	No data available.	

#### **SECTION 10 : STABILITY AND REACTIVITY**

### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid :

- frost

### 10.5. Incompatible materials

No data available.

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

#### - carbon monoxide (CO)

- carbon dioxide (CO2)

## |>SECTION 11 : TOXICOLOGICAL INFORMATION

## |> 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

May cause an allergic reaction by skin contact.

# |> 11.1.1. Substances

### > Acute toxicity :

2-OCTYL-2H-ISOTHIAZOL-3-ONE (CAS: 26530-20-1) Oral route : LD50 = 125 mg/kg

Dermal route :

LD50 = 311 mg/kg

|--|

LC50 = 0.27 mg/l Duration of exposure : 4 h

### |> 11.1.2. Mixture

No toxicological data available for the mixture.

### 11.2. Information on other hazards

### |>SECTION 12 : ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

### 12.1. Toxicity

### 12.1.1. Substances

GLUTARAL (CAS: 111-30-8)	
Fish toxicity :	LC50 =
	a .

LC50 = 5 mg/l Species : Leuciscus idus melanotus Duration of exposure : 96 h

ECx > 1 mg/l

Crustacean toxicity :

Algae toxicity :

EC50 = 15 mg/l Species : Daphnia magna Duration of exposure : 48 h

ECr50 = 0.42 mg/l Factor M = 1 Species : Scenedesmus subspicatus

Duration of exposure : 72 h

### 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

#### 12.2.1. Substances

GLUTARAL (CAS: 111-30-8) Biodegradability :

Rapidly degradable.

#### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

No data available.

#### **12.6.** Endocrine disrupting properties

No data available.

# 12.7. Other adverse effects

No data available.

## SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

## **SECTION 14 : TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

#### 14.1. UN number or ID number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

-

#### |>SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### > - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

#### |> - Container information:

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

### - Particular provisions :

No data available.

### 15.2. Chemical safety assessment

No data available.

## |>SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## |> Wording of the phrases mentioned in section 3 :

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

### |> Abbreviations :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

Ecx : The effective concentration of the substance that causes x% maximum reaction.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate

BW : Body Weight

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

- PBT: Persistent, bioaccumulable and toxic.
- vPvB : Very persistent, very bioaccumulable.
- SVHC : Substances of very high concern.
- > Modification compared to the previous version