

1164
19EN 934-2+A1:2012
1164-CPR-ADJ001

CHRYSO® Quad 522

1. dop point 1
EN 934-2+A1:2012 : T.2

2. dop point 2
3. dop point 3
Water reducing Plasticizing admixture

4. dop point 4
CHRYSO SAS 7 rue de l'Europe - 45300 SERMAISES DU LOIRET France

5. dop point 5
Système 2+

6. dop point 6
EN 934-2+A1:2012
dop point 6 content
N° 1164-CPR-ADJ001

7. dop point 7

	dop table header 1	dop table header 2	dop table header 3
Chloride Ions	≤ 0,100 %		EN 934-2+A1:2012
Equivalent Content NA₂O	≤ 2,00 %		EN 934-2+A1:2012
Corrosion			EN 934-2+A1:2012
Water Reduction	In test mix >= 5% compared with control mix		EN 934-2+A1:2012
Compressive strength	at 7 days: Test mix >= 110% of control mix at 28 days: Test mix >= 110% of control mix		EN 934-2+A1:2012
Air Content in Fresh Concrete	Test mix <= 2% by volume above control mix		EN 934-2+A1:2012
Dangerous substances	See MSDS		EN 934-2+A1:2012

8. dop point 8

dop signature intro
Quentin BRANGER, Industrialisation & Products Quality Manager